



N



LONGITUDINAL SECTION

H. 1:500
V. 1:50



No.	Revisions	Date	Appvd
Designed	M.J. COOPER	Date	Print Date
Drawn	M.J.C. & T.B.	Nov. 86	
Checked	<i>[Signature]</i>	Jan 87	
Approved	<i>[Signature]</i>	~	
File	6/7/21	L.B. 544	F.B. ~

DUFFILL WATTS & KING LTD
Consulting Civil & Structural Engineers
Dunedin Invercargill Alexandra Queenstown

Client
MANIOTOTO COUNTY COUNCIL
Project

RANFURLY STREETWORKS 1986/87
DUNNANON STREET RECONSTRUCTION & SEAL

Sheet Title	Job No.	Sheet No.	Revision
PLAN & LONGITUDINAL SECTION	10837	1 of 6 shts	



No.	Revisions	Date	Appvd
Designed	M. J. COOPER	Date	Print Date
Drawn	M.J.C & T.B	Nov. 86	
Checked	<u>M. J. Cooper</u>	Jan 87	
Approved	<u>Shawn</u>	u	
File	6/7/21	L.B. 544	F.B. v

DUFFILL WATTS & KING LTD

Consulting Civil & Structural Engineers
Dunedin Invercargill Alexandra Queenstown

Client

MANIOTOTO COUNTY COUNCIL

Project


RANFURLY STREETWORKS 1986 / 87

DUNGANNON STREET RECONSTRUCTION & SEAL


Sheet Title

PLAN
&
LONGITUDINAL SECTION

Job No.	Sheet No.	Revision
10837	2 of 6 shts	



PLAN
1:500



TYPE B CROSS-SECTION (see drg. 10837/6)

LONGITUDINAL SECTION

H. 1:500
V. 1:50

No.	Revisions	Date	Appvd
Designed	M.J.COOPER	Date	Print Date
Drawn	M.F.C.R.T.S.	Nov 86	
Checked	<i>[Signature]</i>	Jan 87	
Approved	<i>[Signature]</i>	~	
File	6/7/21	L.B. 544	F.B. ~


DUFFILL WATTS & KING LTD
Consulting Civil & Structural Engineers
Dunedin Invercargill Alexandra Queenstown


Client
MANIOTOTO COUNTY COUNCIL


Project
RANFURLY STREETWORKS 1986 / 87
DUNGANNON STREET RECONSTRUCTION & SEAL

Sheet Title
PLAN & LONGITUDINAL SECTION

Job No.	Sheet No.	Revision
10837	3	
of 6	shts	







Hand-drawn cross-sections of two road types, A and B, showing their construction layers and dimensions.

TYPE A Section 140 - 540m


- Formation Level
- Min. watertable depth 250mm
- * Formation width 9.9m
- 130mm compacted depth of M4 basecourse metal ex. Kyeburn Pit.
- 270mm compacted depth of subbase metal ex. Eweburn
- 400mm
- Carriageway Width 7.5m.
- Seal Width 6.0m.

TYPE B Section 540 - 955m

- Formation Level
- Min. watertable depth 250mm
- * Formation Width 8.3m.
- 130mm compacted depth of M4 basecourse metal ex. Kyeburn Pit.
- Lime stabilised subbase to 150mm depth.
- 130mm

TYPICAL CROSS SECTION

1:50



NOTE:

1. Earthworks and subbase metal layer supplied and constructed complete in place by Maniototo County Council Forces.
 2. Basecourse metal supplied and spread on road by Maniototo County Council forces.
 3. The Contractor will be responsible for:
 - (i) Lime stabilisation of Subbase Type B. Crosssection.
 - (ii) The construction of basecourse and seal coats.

A	Formation level shown	26.1.87	ref
No.	Revisions	Date	Appv
Designed	M. Cooper	Date	Print Date
Drawn	T. Berben	Nov. 86	
Checked	<i>me. Boga</i>	Jan. 87	
Approved	<i>Johnston</i>	~	
File	6/7/21	L.B. 544	F.B. ~

DUFFILL WATTS & KING LTD

Consulting Civil & Structural Engineers
Dunedin Invercargill Alexandra Queenstown

MANIOTOTO COUNTY COUNCIL

project
RANFURLY STREETWORKS
1986 / 87
DUNGANNON STREET
RECONSTRUCTION & SEAL

CROSS SECTIONS

Job No.	Sheet No.	Revision
10837	6 A of 6 shts	