## Memorandum

Christch Level 1 141 Cambric Christchurch PO Box 110 Christchurch +643 366 88	dge Terrace 1 8013 1 8140 391	Whangarei 15 Porowini Avenue, Morningside, Whangarei 0110 +649 358 2526   Auckland PO Box 91250, Auckland 1142 +649 358 2526   Hamilton PO Box 1094, Hamilton 3240 +647 960 0006   Tauranga PO Box 13373, Tauranga 3141 +647 571 5511   Wellington PO Box 11340, Wellington 6142 +644 385 9315   Nelson 27 Vanguard Street, Nelson 7010 +643 548 8551   Queenstown PO Box 1028, Queenstown 9348 +643 441 1670   Dunedin 49 Water Street, Dunedin 9016 +643 470 0460
Attention:	Adam Vind	cent, Planning Officer Consents

Company:	Central Otago District Council	
Date:	30 April 2024	
From:	Sue McManaway, Landscape Architect, Boffa Miskell Ltd	
Message Ref:	RC 240065 - Helios Māniatoto Solar Farm LVA - Request for further information	
Project No:	BM230187	

This memo has been prepared in response to a Request for Further Information from Central Otago District Council dated 22 April 2024 and addresses the requests related to the Māniatoto Solar Farm Landscape Effects Assessment and Graphic Supplement. For completeness, each request is copied below before setting out each response.

• Please outline the differences between "Maintained exotic shelter belt planting" and "exotic shelter belt planting" at Pages 230-231 of the application (Graphic Supplement Figures 5C and 5D), including where one will be used over the other as part of landscape mitigation. The Landscape Mitigation Plan (Graphic Supplement Figure 5A) only shows the latter being used.

As recommended in the Landscape Assessment, irrigation and ongoing monitoring and maintenance of *all* the proposed and existing planting will be required with a routine set out in Landscape Management Plan.


However, the specific reference to 'Maintained exotic shelter belt planting' which is illustrated in the cross section at Figure 5C in the Graphic Supplement, relates to a particular section of proposed shelterbelt planting at the northwest corner of the site adjacent to Ranfurly-Naseby Road. At this location it is recommended the shelterbelt be maintained to a height of approximately 3m. There are existing open views along this section of road that would be reduced by the establishment of a tall shelterbelt. Maintaining the proposed planting to a lower height will minimise the enclosure and retain some sense of the big skies and mountain backdrop to the north.

An updated Landscape Mitigation Plan identifying the specific location of the 'Proposed exotic shelter belt planting - maintained' is attached.

• Not all of the landscaping proposed to mitigate glare shown in Figure 13 is proposed on other landscaping plans (For example Graphic Supplement Figure 5A). Please provide either an updated assessment of glare effects to factor in this vegetation that does not appear to be being proposed or an updated landscaping plan showing all recommended screen plantings.

The ITP Glint and Glare Study found Ranfurly-Naseby Road and Ranfurly Back Road received the most glare, however the report notes, *'Mitigation is not required but could be considered to reduce the impact on local road users'* (page 26). Perimeter planting of vegetation screens was put forward in the Study as a measure to reduce glare.

The proposed landscape mitigation planting strategy varies in species and coverage in response to varying landscape characteristics such as existing vegetation, landform and landscape features as well as the nature and extent of mitigation required. Some small gaps in the proposed perimeter planting remained. It is agreed that these gaps be closed and an updated Landscape Mitigation Plan reflecting this change is attached.





This plan has been prepared by Boffa Miskell Limited on the specific instructions of our Client. It is solely for our Client's use in accordance with the agreed scope of work. Any use or reliance by a third party is at that party's own risk. Where information has been supplied by the Client or obtained from other external sources, it has been assumed that it is accurate. No liability or responsibility is accepted by Boffa Miskell Limited for any errors or omissions to the extent that they arise from inaccurate information provided by the Client or any external source.

1,000 m 0 1 1:25,000 @ A3

Data Sources: Eagles Technologies, and LINZ Data Service. Projection: New Zealand Transverse Mercator



## HELIOS MĀNIATOTO SOLAR FARM

Landscape Mitigation

Date: 24 November 2023 | Revision: 0 Plan prepared for Helios Energy Ltd by Boffa Miskell Limited Project Manager: Yvonne.Pfluger@boffamiskell.co.nz | Drawn: HBI | Checked: SMc

Figure 5A

Page 5